

GR320 - VEM

STATUS

På lager

REF. NR.

GR320

MANUFACTURE

VEM

TYPE

DRKSX 6321-4UA

VOLT

670

KVA

3250

RPM

1800

HZ

60

FABRIKS NR.

2344354


YEAR

2002

AMP

2801





VEM Sachsenwerk GmbH 

Test 08 02 Made in Germany

| | | |
|-----------------------|-------------|----------------|
| 3ph Gen. | Typ | DRKSX 6321-4JA |
| DIN EN 60034-1 | Nr. | 2344354 / 2002 |
| ±10% 570 | V | 50 Hz |
| 2801 | A | inscl. F |
| 3250 kVA | | +55 °C |
| n _d = 2130 | 1800 r.p.m. | UVV |
| oscp 0.8 | IP | 44 |
| Exc. 45 V | 4 A | 9750 kg |
| water 265 l / min | 36°C | |

| | |
|--|--|
| THIS ENGINE MOUNTED ON EPOCAST 36® CHOCKS | DIESE ANLAGE IST AUF EPOCAST 36® PASSTÜCKE FUNDAMENTIERT |
| INSTALLATION DATE AUSFÜHRUNGSdatum | |
| BATCH NUMBER CHARGEN NUMBER | |
| INSTALLED BY AUSGEFÜHRT DURCH | H.A. Springer GmbH |
| REQUIRED BOLT TORQUE GEFORDERTES ANZUGSMOMENT | Nm |
| HYDR. PRESSURE HYDRAULIKDRUCK | bar |
| PISTON AREA WIRKSAME KOLBENFLÄCHE | cm ² |

H.A. SPRINGER GMBH
D-24145 KIEL • GERMANY • LIEBIGSTRASSE 21
An Illinois Tool Works Company
TEL. 0431 / 7 17 91-0 • Fax 0431 / 7 17 91 95