

ABB - AMA 450L 6L BAFTMH

STATUS	På lager
REF. NR.	M2343
MANUFACTURE	ABB
TYPE	AMA 450L 6L BAFTMH
ENGINE NO.	4606314
HP	2010
RPM	1201
YEAR	2010
REMARKS	ABB AMA 450L 6L BAFTMH Unused electro propulsion





ABB**CE****ABB Oy**

Made in Helsinki 13, 00180 Helsinki, Finland

Type	AMA 450L6L BAFTMH			No	4606314
Year	2010	Phases	3~	Duty	S1
Connection D	Insul. cl.	F		Weight	4340 kg
IP	55	IC	86W	IM	1001

S1 CONVERTER SUPPLY, ACS

0	- 1500	- 0	- 0	- 0	kW
0	- 690	- 0	- 0	- 0	V
0	- 1495	-	-	-	A
0	- 0.87	- 0	- 0	- 0	PF
0	- 60.6	- 0	- 0	- 0	Hz
0	- 1201.3	- 0	- 0	- 0	rpm

Ambient temp. 45 °C

Max. cooling water temp. 38 °C

Cooling water flow 8,7 m³/h

IEC 60034-1

DRIVE END (DE) BEARING NON DRIVE END (NDE) BEARING LUBRICATION INTERVAL AT 70°C
(158°F) BEARING TEMPERATURE DUTY HOURSQUANTITY OF GREASE DE GRAMS NDE GRAMS

NOTE! EVERY 15°C (27°F) INCREASE ABOVE 70°C (158°F) IN THE BEARING TEMPERATURE HALVES THE RATED LUBRICATION INTERVAL.

NOTE! ABOVE 85°C (185°F) HIGH TEMPERATURE GREASE SHALL BE USED.

DELIVERED FROM FACTORY WITH GREASE

FOR ADDITIONAL INFORMATION SEE MAINTENANCE MANUAL