

# VEM - DRKSX 6321-4UA

|             |                |
|-------------|----------------|
| STATUS      | Available      |
| REF. NUMBER | GR319          |
| MANUFACTURE | VEM            |
| TYPE        | DRKSX 6321-4UA |
| KVA         | 3250           |
| AMP         | 2801           |
| RPM         | 1800           |
| HZ          | 60             |
| FABRIKS NR. | 2344353        |
| YEAR        | 2002           |
| VESSEL      | Maersk Winner  |





|                             |                    |                                                                                  |  |
|-----------------------------|--------------------|----------------------------------------------------------------------------------|--|
| <b>VEM Sachsenwerk GmbH</b> |                    |  |  |
| Test 08-02 Made in Germany  |                    |                                                                                  |  |
| 3ph Gen.                    | Typ DRKSX 6321-4UA |                                                                                  |  |
| DIN EN 60034-1              | Nr. 2344353 / 2002 |                                                                                  |  |
| ±10% *                      | V                  | 60 Hz                                                                            |  |
| 2801                        | A                  | ins.cl. F                                                                        |  |
| 3250 kVA                    | +55 °C             |                                                                                  |  |
| n <sub>d</sub> = 2160       | 1800 r.p.m.        | UVW →                                                                            |  |
| cos φ 0,8                   | IP 44              |                                                                                  |  |
| Exc. 45 V                   | 4 A                | 9750 kg                                                                          |  |
| water 265 l / min 36°C      |                    |                                                                                  |  |

|                                                  |                   |                                                                |                 |
|--------------------------------------------------|-------------------|----------------------------------------------------------------|-----------------|
| THIS ENGINE MOUNTED ON<br>EPOCAST 36° CHOCKS     |                   | DIESE ANLAGE IST AUF<br>EPOCAST 36° PASSTÜCKE<br>FUNDAMENTIERT |                 |
| INSTALLATION DATE<br>AUSFÜHRUNGSDATUM            | 16.12.02          |                                                                |                 |
| BATCH NUMBER<br>CHARGEN NUMMER                   | 305102            |                                                                |                 |
| INSTALLED BY<br>AUSGEFÜHRT DURCH                 | VW Stralsund GmbH |                                                                |                 |
| REQUIRED BOLT TORQUE<br>GEFORDERTES ANZUGSMOMENT | 1850              |                                                                | Nm              |
| HYDR. PRESSURE<br>HYDRAULIKDRUCK                 | bar               | PISTON AREA<br>WIRKSAME<br>KOLBENFLÄCHE                        | mm <sup>2</sup> |
| <b>H.A. SPRINGER GMBH</b>                        |                   |                                                                |                 |
| D-24145 KIEL • GERMANY • LIEBIGSTRASSE 21        |                   |                                                                |                 |
| An Illinois Tool Works Company                   |                   |                                                                |                 |
| TEL. 0431/ 7 17 91-0 • Fax 0431/ 7 17 91 95      |                   |                                                                |                 |