

STATUS

Available

REF. NUMBER

LP250

MANUFACTURE

Azcue

TYPE

BT/LV 100T 01 no plate

REMARKS

ABB motor. 22/25 kW, 50/60 Hz, 980/1180 rpm, 440 volt





Dimensiones Dimensions Dimensions

N. 776-LV80125

Azcue BT/LV 100T 01

Basic Pump Type	Tipo	Motor / Moteur		a	b	c	d	e	f	g	h	k	m	r	x	y	DN/DN ₂	Q	kg (a)			
		R.p.m. / U/min.	725																	950	1450	
LV MT HT	100T	1.1	1.2	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100		
	100T	1.5	1.6	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100		
	100T	2.2	2.3	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100		
	100T	3	3.1	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100		
	100T	4.5	4.6	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100		
	100T	7.5	7.6	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
	100T	11	11.1	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
	100T	15	15.1	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
	100T	22	22.1	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
	100T	30	30.1	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
LV 12FT	100T	1.1	1.2	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100		
	100T	1.5	1.6	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100		
	100T	2.2	2.3	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100		
	100T	3	3.1	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
	100T	4.5	4.6	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
	100T	7.5	7.6	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	
	100T	11	11.1	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
	100T	15	15.1	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
	100T	22	22.1	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
	100T	30	30.1	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

Sujeto a cambios / Subject to alterations / Sujet a des modifications

* En el peso indicado no está incluido el motor
The stated weight does not include the motor
Le poids total indiqué n'inclut pas le moteur

(1) Conexión varicorona. / Varicorona connection. / Connexion varicorona.
(2) Conexión manómetro. / Manometer connection. / Connexion manometre.

www.northridgepumps.com

Bombas Azcue UK Supplier

bombas-azcue

Supplier of Azcue pumps and spares to the UK and International

Azcue BT-LV Vertical Triple Screw Pump

Vertical self priming long coupled triple screw pumps.
Designed for pumping lubricant media and gasoil, diesel, fuel transfer and feed applications.

Flow rates up to 200m³/hr
Head up to 10bar
Port sizes range from DN 125mm to 200mm
Temperature up to +160°C
Available in Cast Iron GG-25 and Ductile Cast Iron GGG40 (Versions MT/HT).

Azcue BT-LV Pump model numbers:
BT-LV80, BT-LV90, BT-LV100, BT-LV110, BT-LV125

For price and technical information, please contact us at sales@bombas-azcue.co.uk

1/1



